

Appl. No. 10/088,401  
Amdt. Dated November 29, 2005  
Reply to Office Action of September 1, 2005

Docket No. CM04288H  
Customer No. 22917

### **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A method for authentication of an entity in a motive vehicle by a trusted gateway residing in the vehicle, ~~wherein the entity is either one of a gateway or a vehicle system,~~ the method comprising steps of:

receiving a request for service for the entity, wherein the entity is at least one of a wireless gateway, a vehicle system, and a user system;

determining whether the entity is an authenticated entity; ~~and~~

~~when the entity is not an authenticated entity,~~ authenticating the entity to produce an authenticated entity, when the entity is not an authenticated entity; and

granting the request for service.

2. (original) The method of claim 1, wherein the step of determining whether the entity is an authenticated entity comprises a step of determining whether the entity is an authenticated entity by reference to a list of authenticated entities.

3. (original) The method of claim 1, further comprising a step of adding the entity to a list of authenticated entities when the entity is authenticated.

4. (withdrawn) ~~The method of claim 1, further comprising a step of, when the entity is an authenticated entity, granting the request for service.~~

Appl. No. 10/088,401  
Amdt. Dated November 29, 2005  
Reply to Office Action of September 1, 2005

Docket No. CM04288H  
Customer No. 22917

5. (original) The method of claim 1, wherein the step of authenticating the entity comprises steps of:

requesting, from the entity, a certificate comprising a vehicle manufacturer signature;

receiving a message comprising the requested certificate; and

determining whether the entity is an authenticated entity based on the received message.

6. (original) The method of claim 5, wherein the message comprising the requested certificate further comprises an entity signature and an entity manufacturer signature.

7. (original) The method of claim 6, wherein the step of authenticating the entity further comprises steps of:

verifying at least one of the vehicle manufacturer signature, the entity signature, and the entity manufacturer signature; and

wherein the step of determining whether the entity is an authenticated entity comprises a step of determining whether the entity is an authenticated entity based on the verification of at least one of the vehicle manufacturer signature, the entity signature, and the entity manufacturer signature.

8. (original) The method of claim 1, wherein the step of authenticating the entity comprises steps of:

generating a first random number;

conveying, to the entity, the first random number and a request that the entity send a certificate comprising a vehicle manufacturer signature;

receiving a message comprising the certificate having a vehicle manufacturer signature and further comprising an entity signature, an entity manufacturer signature, the first random number, and a second random number; and

wherein the step of determining whether the entity is an authenticated entity comprises a step of determining whether the entity is an authenticated entity based on

Appl. No. 10/068,401  
Amdt. Dated November 29, 2005  
Reply to Office Action of September 1, 2005

Docket No. CM04288H  
Customer No. 22917

the verification of at least one of the vehicle manufacturer signature, the entity signature, and the entity manufacturer signature.

9. (original) The method of claim 1, further comprising steps of:

when the entity is an authenticated entity, generating a session key; and  
securely conveying the session key to the authenticated entity.

10. (original) The method of claim 1, further comprising a step of determining whether to reprogram the entity when the second entity is an authenticated entity.

11. (original) The method of claim 10, wherein the step of determining whether to reprogram the entity comprises steps of:

retrieving vehicle system status information from the entity; and  
determining whether to reprogram the entity based on the retrieved vehicle system status information.

12. (original) The method of claim 10, further comprising steps of

in response to a determination to reprogram the entity, reprogramming the entity with new software;

when the entity is reprogrammed, executing the new software by the entity to produce a result;

conveying the result to the trusted entity; and

determining whether the reprogramming is successful based on the result.

13. (original) The method of claim 12, wherein the entity is a vehicle system that comprises vehicle system status information and wherein the method further comprises steps of:

retrieving vehicle system status information from the entity; and

transmitting the retrieved vehicle system status information.

Appl. No. 10/068,401  
Amdt. Dated November 29, 2005  
Reply to Office Action of September 1, 2005

Docket No. GM04288H  
Customer No. 22917

14. (original) The method of claim 13, further comprising a step of receiving new software in response to the transmission of vehicle system status information.

15. (original) The method of claim 13, wherein the vehicle system status information comprises at least one of a current date, a current time, a current location of the vehicle, a current mileage of the vehicle, a vehicle identification number, and an engine diagnostic code.

16. (original) The method of claim 1, further comprising steps of:

when the entity is determined to be an authenticated entity, generating a session key; and

securely conveying the session key to the authenticated entity.

17. (original) An apparatus for authenticating an entity in a vehicle, the apparatus comprising:

a first, trusted entity residing in the vehicle that receives a service request from a second entity residing in the vehicle, determines whether the second entity is an authenticated entity in response to the request, and when the second entity is not an authenticated entity, authenticates the second entity to produce an authenticated entity, and grants the service request.

wherein the trusted entity is a vehicle gateway, and

wherein the second entity is one of a wireless gateway, a vehicle system, and a user system.

18. (original) The apparatus of claim 17, wherein the trusted entity stores a list of authenticated entities and determines whether the second entity is an authenticated entity by reference to the list.

19. (original) The apparatus of claim 17, wherein the trusted entity stores a list of authenticated entities and adds the second entity to the list when the trusted entity authenticates the second entity.

Appl. No. 10/068,401  
Amdt. Dated November 29, 2005  
Reply to Office Action of September 1, 2005

Docket No. CM04288H  
Customer No. 22917

20. (original) The apparatus of claim 17, wherein the trusted entity comprises a vehicle manufacturer public key, wherein the trusted entity requests, from the second entity, a certificate comprising a vehicle manufacturer signature and, in response to the request for the certificate, receives a message comprising the requested certificate, and wherein the trusted entity authenticates the second entity based on the received message.

21. (original) The apparatus of claim 20, wherein the message comprising a vehicle manufacturer signature further comprises a second entity manufacturer signature and a second entity signature.

22. (original) The method of claim 21, wherein the trusted entity authenticates the second entity by verifying at least one of the vehicle manufacturer signature, the second entity manufacturer signature, and the second entity signature.

23. (original) The apparatus of claim 17, wherein the trusted entity further generates a first random number, conveys, to the second entity, the first random number and a request that the second entity send a certificate comprising a vehicle manufacturer signature, receives, in response to conveying the request for the certificate, a message comprising the first random number, a second random number, and the certificate having a vehicle manufacturer signature, and authenticates the second entity based on the received message.

24. (original) The apparatus of claim 17, wherein the trusted entity generates a session key when the second entity is an authenticated entity and securely conveys the session key to the second entity.

25. (original) The apparatus of claim 17, wherein the trusted entity conveys a service grant to the second entity when the second entity is an authenticated entity.

Appl. No. 10/068,401  
Amdt. Dated November 29, 2005  
Reply to Office Action of September 1, 2005

Docket No. CM04288H  
Customer No. 22917

26. (original) The apparatus of claim 17, wherein the second entity is a vehicle system that comprises vehicle system information and wherein the trusted entity retrieves vehicle system status information from the vehicle system and determines whether to reprogram the entity based on the vehicle system information.

27. (original) In a vehicle in wireless communication with an infrastructure, an apparatus comprising:

a first, trusted entity residing in the vehicle;

a second entity residing in the vehicle and in communication with the trusted entity; and

wherein the trusted entity receives a service request, determines whether the second entity is an authenticated entity in response to the service request, ~~and, when the second entity is not an authenticated entity, authenticates the second entity to produce an authenticated entity, and grants the service request,~~

wherein the trusted entity is a vehicle gateway, and

wherein the second entity is one of a wireless gateway, a vehicle system, and a user system.

28. (original) The apparatus of claim 27, wherein the trusted entity receives the service request from the infrastructure.

29. (original) The apparatus of claim 27, wherein the second entity conveys the service request to the trusted entity.

30. (original) The apparatus of claim 27, wherein the trusted entity stores a list of authenticated entities and determines whether the second entity is an authenticated entity by reference to a list of authenticated entities.

31. (original) The apparatus of claim 27, wherein the trusted entity stores a list of authenticated entities and adds the second entity to a list of authenticated entities when the trusted entity authenticates the second entity

Appl. No. 10/068,401  
Amdt. Dated November 29, 2005  
Reply to Office Action of September 1, 2005

Docket No. CM04288H  
Customer No. 22917

32. (original) The apparatus of claim 27, wherein the trusted entity comprises a vehicle manufacturer public key, wherein the trusted entity conveys a request to the second entity for a message comprising a vehicle manufacturer signature, wherein, in response to the request, the second entity conveys a message to the trusted entity comprising the vehicle manufacturer signature, and wherein the trusted entity authenticates the second entity based on the message.

33. (original) The apparatus of claim 27, wherein the trusted entity comprises a vehicle manufacturer public key, wherein the second entity comprises a second entity private key, a certificate having a vehicle manufacturer signature, and a second entity manufacturer signature, wherein the trusted entity conveys a request to the second entity for a message comprising the vehicle manufacturer signature, wherein, in response to the request, the second entity conveys a message to the trusted entity comprising the vehicle manufacturer signature, the second entity manufacturer signature, and a second entity signature, and wherein the trusted entity authenticates the second entity based on the message.

34. (original) The apparatus of claim 33, wherein the trusted entity authenticates the second entity based on verification of at least one of the vehicle manufacturer signature, the entity signature, and the entity manufacturer signature.

35. (original) The apparatus of claim 27, wherein the trusted entity conveys a service grant to the second entity when the second entity is an authenticated entity.

Appl. No. 10/068,401  
Amdt. Dated November 29, 2005  
Reply to Office Action of September 1, 2005

Docket No. CM04288H  
Customer No. 22917

36. (original) The apparatus of claim 27, wherein the trusted entity generates a first random number and conveys, to the second entity, the first random number and a request that the second entity send a certificate comprising a vehicle manufacturer signature, wherein the second entity generates a second random number and conveys, to the trusted entity, a message comprising the first random number, the second random number, and the certificate having the vehicle manufacturer signature, and wherein the trusted entity authenticates the second entity based on the message.

37. (original) The apparatus of claim 36, wherein the message further comprises an entity signature and an entity manufacturer signature.

38. (original) The apparatus of claim 27, wherein, when the second entity is an authenticated entity, the trusted entity determines whether to reprogram the entity and, in response to a determination to reprogram the entity, reprograms the second entity with new software.

39. (original) The apparatus of claim 38, wherein the second entity is a vehicle system that comprises vehicle system information and wherein the trusted entity retrieves vehicle system status information from the vehicle system and determines whether to reprogram the entity based on the vehicle system information.

40. (original) The apparatus of claim 38, wherein, when the trusted entity reprograms the second entity, the second entity executes the new software to produce a result and conveys the result to the trusted entity, and wherein the trusted entity determines whether the reprogramming is successful based on the result.



Appl. No. 10/068,401  
Amdt. Dated November 29, 2005  
Reply to Office Action of September 1, 2005

Docket No. CM04288H  
Customer No. 22917

41. (original) The apparatus of claim 27, wherein the second entity is a vehicle system that comprises vehicle system status information and wherein, when the second entity is an authenticated entity, the trusted entity retrieves vehicle system status information from the vehicle system and sends the retrieved vehicle system information to the infrastructure.

42. (original) The apparatus of claim 41, wherein, in response to sending the vehicle system status information to the infrastructure, the trusted entity receives new software and reprograms the second entity with the new software, wherein the second entity executes the new software to produce a result and conveys the result to the trusted entity, and wherein the trusted entity determines whether the reprogramming is successful based on the result.

43. (original) The method of claim 41, wherein the vehicle system status information comprises at least one of a current date, a current time, a current location of the vehicle, a current mileage of the vehicle, a vehicle identification number, and an engine diagnostic code.

44. (original) The method of claim 27, wherein the trusted entity generates a session key when the second entity is an authenticated entity and securely conveys the session key to the authenticated entity.

45. (new) The method of claim 1 wherein a vehicle gateway performs the steps of receiving, determining, authenticating, and granting.

46. (new) The method of claim 1, further comprising steps of:  
when the entity is an authenticated entity, receiving services requests from the authenticated entity.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**